HYDMARK APPLICON

HYDRAULIC PRESSES

Accurate, Meets Various Application



Compact Hose crimping hydraulic press

- O Robust pillar, H frame or C frame type.
- Meets various applications.
- Standard or custom designed to suit different needs.
- High quality electrical hydraulic components are used.
- Provided with manual of electrical controls.
- o Programable logic control circuit are optional.
- Special decompression and bumping circuit.
- Structure designed to withstand higher over loads qualifies standard acceptance tests.
- Actuators / cylinder used are made out of tubes & seals of international standards.
- Easy to maintain.
- 2 to 400 tonnes pressing capacity.

APPLICATIONS

- Deep draw, punching crimping bending and straightening.
- Coining compacting & sintering.
- Concrete paver block & tile manufacturing.
- Rubber moulding & Bakelite mounting & briqueting.
- Wax, malt coffee & juice extraction.
- O Cutting, forming, moulding of soft materials like carpets etc.
- Scrap bailing

Some of the important parameters required to design & offer a hydraulic press are Capacity - in tonnes, drawing of the components to be manufactured, production capacity, daylight, table size level of automation required, curing time, type of dies & tooling etc.

SOME OF THE HYDRAULIC PRESSES MADE FOR DIFFERENT APPLICATIONS



50T, 4 pillar type, moving platen hydraulic press for gasket forming.



30 T hydraulic press for rubber bail cutting



10 T straighteing press



Automatic hydraulic press for pipe flaring



5T hydraulic press for bearing cage pressing



10 T adjustable table general workshop press.




2T, Two station hydraulic press for small component assembly & processing



100 T hydraulic press for gold / silver coin manufacturing

HYDMARK APPLICON

50T, 4 pillar type, moving platen hydraulic press for gasket forming.



HYDMARK APPLICON

5T, 2 pillar type, moving platen hydraulic press with load sensing facility



HYDMARK APPLICON

A-5/4, PHASE II, INDUSTRIAL AREA, MAYAPURI, NEW DELHI - 110064 PHONE : 011-45114611 (30 Lines) FAX : 011-28116246, E-mail : <u>sales@hydmark.com</u>